

AD-A190 034

MOLECULAR DYNAMICS OF MATERIALS POSSESSING HIGH ENERGY
CONTENT(U) COLUMBIA UNIV NEW YORK N J TURRO 26 JAN 88
AFOSR-TR-88-0168 AFOSR-84-0040


1/1

UNCLASSIFIED

F/G 7/3

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963

REPOI

1a REPORT SECURITY CLASSIFICATION

Unclassified

2a SECURITY CLASSIFICATION AUTHORITY

AD-A190 034

REPORT
DUTION

2b DECLASSIFICATION/DOWNGRADING SCHEDULE

SELECTED

Approved for public release

3 PERFORMING ORGANIZATION REPORT NUMBER

FEB 9 1988

5 MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR-TR- 88-0108

6a NAME OF PERFORMING ORGANIZATION

Columbia University

6b OFFICE SYMBOL
(If applicable)

7a NAME OF MONITORING ORGANIZATION

Air Force Office of Scientific Res.

6c ADDRESS (City, State, and ZIP Code)

New York, New York 10027

7b ADDRESS (City, State, and ZIP Code)

Bolling Air Force Base, Bldg. 410
Bolling Air Force Base, D.C. 28a NAME OF FUNDING/SPONSORING
ORGANIZATION

Air Force Off. Sci. Res.

8b OFFICE SYMBOL
(If applicable)

NC

9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

AFOSR-84-0040

8c ADDRESS (City, State, and ZIP Code)

Bolling Air Force Base
Bolling Air Force Base, D.C. 2

10 SOURCE OF FUNDING NUMBERS

PROGRAM
ELEMENT NO.

61102F

PROJECT
NO.

2303

TASK
NO.

B2

WORK UNIT
ACCESSION NO.

11 TITLE (Include Security Classification)

Molecular Dynamics of Materials Possessing High Energy Content (Unclassified)

12 PERSONAL AUTHOR(S)

Nicholas J. Turro

13a TYPE OF REPORT

final technical

13b TIME COVERED

FROM 11-1-85 to 10-31-87

14 DATE OF REPORT (Year, Month, Day)

January 26, 1988

15 PAGE COUNT

15

16 SUPPLEMENTARY NOTATION

17 COSATI CODES

FIELD

GROUP

SUB-GROUP

18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

micelles; polymers; porous solids; biradicals;
ylides; carbenes; radical pairs; optical absorp-
tion; ESR spectroscopy; NMR spectroscopy

19 ABSTRACT (Continue on reverse if necessary and identify by block number)

The accomplished research has centered about the construction of new instrumentation for the investigation of transient high energy materials and the exploration of how the chemistry of transient high energy materials and the dynamics of these species respond to systematic variations in structure, environments, and experimental variables. Particular emphasis has been given to reactions in microheterogeneous environments and interfaces provided by micelles, polymers and porous solids, using resonance Raman spectroscopy, Nuclear magnetic resonance spectroscopy, electron spin resonance spectroscopy, optical absorption and optical emission. The use of external magnetic fields on the reactivity of carbenes, of radical pairs and of biradicals, and of adsorption of reactive intermediates at interfaces has been explored as methods which may be capable of extending the lifetimes of these transient species.

20 DISTRIBUTION/AVAILABILITY OF ABSTRACT

☐ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS

21 ABSTRACT SECURITY CLASSIFICATION

Unclassified

22a NAME OF RESPONSIBLE INDIVIDUAL

Dr. Anthony Matuszko

22b TELEPHONE (Include Area Code)

(202) 767-4963

22c OFFICE SYMBOL

NC

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted

All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

Unclassified

FINAL TECHNICAL REPORT

FOR GRANT AFOSR-84-0040 (November 1, 1983 to
October 31, 1987)

PRINCIPAL INVESTIGATOR: Dr. Nicholas J. Turro

Address: Box 610 Havemeyer Hall
Columbia University
New York, New York 10027
(212) 280-2175

TITLE: MOLECULAR DYNAMICS OF MATERIALS POSSESSING HIGH ENERGY
CONTENT



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail and/or Special
A-1	

Approved for Release by NSA on 08-25-2013 pursuant to E.O. 13526

FINAL REPORT.

Dynamics and Stabilization of Materials Possessing High Energy Content

Principal Investigator: Professor Nicholas J. Turro

Chemistry Department

Columbia University, New York, New York 10027

Accomplished Research

General comments: The accomplished research has centered about the construction of new instrumentation for the investigation of transient high energy materials and the exploration of how the chemistry of transient high energy materials and the dynamics of these species respond to systematic variations in structure, environments and experimental variables. Particular emphasis has been given to reactions in microheterogeneous environments and interfaces provided by micelles, polymers and porous solids.

The executed research has achieved some significant accomplishments and progress toward the syntheses and investigations of a range of high energy reactive intermediates and transients such as carbenes, radical pairs, biradicals, ylides and electronically excited states. A battery of analytical techniques, such as resonance Raman spectroscopy, nuclear magnetic resonance spectroscopy, electron spin resonance spectroscopy, optical absorption and optical emission have been employed to characterize the structures and to define the dynamics of high energy transients. The use of external magnetic fields on the reactivity of carbenes, of radical pairs and of biradicals, and of adsorption of reactive intermediates at interfaces has been explored as methods which may be capable of extending the lifetimes of these transient species.

FUNDAMENTAL INVESTIGATIONS OF MATERIALS CAPABLE OF HIGH ENERGY CONTENT, STORAGE AND RELEASE

Preface

The development of the field of chemical kinetics over the past 50 years has been driven by the new experimental techniques which provide improved methods for the investigation of ever faster reactions in ever increasing structural and energetic detail. In the early part of the 20th century experimentalists were able to identify only the final, stable products of chemical reactions which took place over a time scale of minutes or hours. Today, on the other hand, the most advanced experimental methods are aimed at investigations of highly reactive and transient intermediates (the precursors to the final products of a chemical reaction), and the attainable experimental time scale has shrunk by more than 15 orders of magnitude from hours to femtoseconds (10^{-15} second, a quintillionth of a second). Technical and instrumental improvements, which rely heavily on the development of fast electronic detectors, lasers, and computer technology, are significantly advancing our understanding of combustion processes involving energetic and chemically unstable materials. Modern experimental studies of chemical reactions can now follow the generation, preservation and release of chemical, vibrational and electronic energy, and clarify the exact mechanism whereby reactants are transformed into the final products. The Principal Investigator, Professor Nicholas J. Turro, is a physical organic photochemist specializing in the synthesis, characterization and dynamics of molecules possessing high energy content. His research group has had extensive experience and expertise in the investigation of energy capture, storage and release involving electronically excited states and highly energetic ground states.

Photochemical Reactions at Interfaces and in Microheterogeneous Environments

Cyclodextrins

We have exploited the hydrophobic internal cavity of cyclodextrins in aqueous systems to create unusual photophysical situations. For example, an unusual intramolecular exciplex emission was observed from aqueous solutions of an aromatic hydrocarbon/amine substrate, even though such emission had never before been detected

in aqueous solutions (307). In another system we were able to employ fluorescence polarity probes to examine the polarity of the cyclodextrin cavity (313), and examine the influence of binding to a cyclodextrin cavity on the acid-base properties of a substrate (318). We have also explored the use of inclusion complexes as a means of controlling the reactivity of electronically excited guest molecules. The behavior of dibenzyl ketone in deoxycholic acid in the solid state and in aqueous solutions of cyclodextrin has been examined (357). Employing the cage effect as a probe we have found that the translational motion of the benzyl radical pairs is severely restricted in these microheterogeneous environments. In the case of cyclodextrins we have been able to observe the ESR spectrum of radical pairs produced by photolysis at ambient temperatures. In a second system involving aryl alkyl ketones, the competition between Type I and Type II reactions of ketones included in cyclodextrins was investigated and it was found that moderate effects on the products ratios relative to those found in homogeneous fluid media could be achieved (363).

Reactive Intermediates

Time resolved laser flash spectroscopy has been applied to a variety of carbene, ylide and biradical systems to provide quantitative information on the chemical dynamics of these systems by measurement of the absolute rate constants of the reactions of carbenes with alkenes. During the grant period we have measured for the first time a large number of absolute rate constants for reaction of carbenes to ethylenes. The electrophilicity of phenyl halo carbenes has been established by determination of Hammett constants of these systems (368). For a novel system of cyclophane diaryl carbenes, the structural control of the reactivity by means of the singlet triplet equilibrium was determined (376). A detailed study of the temperature of the absolute rate constants for additions of carbenes to alkenes showed that these reactions are generally dominated by entropies of activation. Indeed, negative enthalpies of activation were observed with the faster reacting alkenes, a result that provided evidence for a reversibly formed alkene-carbene complex (377). One of the

simplest nitrile ylides, methyl nitrile ylide, was generated by the reaction of methylene and acetonitrile, and the rate constants for cycloaddition of this ylide with a variety of 1,3-dipolarophiles were determined by time resolved laser flash spectroscopy (378). The singlet triplet intersystem crossing of methylene in fluid solution was investigated by chemically induced dynamic nuclear polarization (CIDNP) and by time resolved laser flash spectroscopy (383, 394). The quantitative chemical reactivities of a sulfur substituted diaryl carbene (thioxanthenylidene-*S,S*-dioxide) and a cyclic carbene (carbenadibenzocycloheptane) were established by time resolved laser spectroscopy (389, 390). Direct spectroscopic evidence for the formation of a carbonyl ylide from the reaction of methylene and carbonyl compounds was reported (401). Since diazirines are often the precursors for the carbenes we have investigated by photochemical excitation, we have studied the direct photochemical population of triplet diazirines and established their triplet energies by an energy transfer method (396).

Radicals and Biradicals

The primary Type I photocleavage of dibenzyl ketones and the subsequent decarbonylation of phenacyl radicals have been investigated and the rate constants for loss of carbon monoxide established (388). Nanosecond transient absorption studies of the lifetimes of several substituted biradicals elucidated the mechanisms which determine the lifetime of these reactive intermediates (399). It was established that spin-orbit coupling provided the major mechanism for intersystem crossing, which is the rate determining step for the biradicals investigated. In addition to these reports, we have (1) demonstrated the difference between the dynamics observed for reactive intermediates when intense laser light rather than conventional lamp irradiation is employed for photochemical excitation (308); (2) performed mechanistic studies of the photodecomposition of arylmethyl sulfone in homogeneous and micellar solutions; (3) investigated the photochemistry of radical pairs in liquid crystalline media (323, 326); (4) observed the first CIDEP spectrum from reactions in micellar systems (332); (5) reported the first in-depth analysis of the dynamics

of radical pair reaction in micelles (342); and (6) studied the photodissociation of cyclooctatetraene and styrene in the gas phase (348).

Polymers

We have employed photochemical and photophysical probes to investigate polymer dynamics and structure. For example, we (1) have developed fluorescence probe for aqueous solutions of non-ionic micelles (328), (2) investigated the proton transfer reaction of poly-2-vinyl pyridine by fluorescence an dexcimer formation (331), (3) shown how fluorescence probes can serve as convenient detectors of the critical micelle concentration (340) and (4) investigated the quenching of pyrene fluorescence in micellar systems (343). In addition, a review of the use of photophysical probes for understanding the structure and dynamics of polymer systems was published (367) and a report employing the chemiluminescent formation of acetone to investigate the role of triplets in the initiation of vinyl polymerization was reported (380).

Reactive Intermediates Adsorbed on Porous Solids

The photochemistry of ketones adsorbed on porous solids such as silica and zeolites was found to vary dramatically from that observed in homogeneous solution (309, 319, 321, 329, 334, 336, 345). The basis for the differing behavior was traced to the diffusional properties of the intermediate radicals produced by photolysis of the ketones. For example, it was found that the product formation was sensitive to the size and shape of zeolite pores (395) and that pore size was a significant factor in determining the behavior of radical pairs adsorbed on porous silica (400). These results provide important new methods and techniques for stabilizing reactive intermediates. For example, it may be possible to design systems in which radical intermediates are kinetically stabilized by adsorption on a porous solid and for which addition of an inert displacing material (water, nitrogen) will kinetically trigger the reactions of the radicals and the release of energy. Such concepts could be useful in increasing fuel efficiency or the initiation of ignition of fuels.

Singlet Molecular Oxygen and Oxidation

In a fruitful collaboration with Professor K. B. Eisenthal of the Chemistry Department of Columbia University the picosecond dynamics of two isomeric endoperoxides were investigated (375). From the results it was concluded that the photoexcited endoperoxide undergo extrusion of singlet molecular oxygen in a non-concerted reaction the steps of which are in the picosecond time domain. A review of AFOSR supported research on oxidations has appeared (338).

Review Publications

Reviews of organic photoreaction mechanisms (314), magnetic isotope effects on organic photoreactions (317), laser spectroscopy of carbenes (324, 337), magnetic field effects on organic photoreactions (327), spin effects on oxidation reactions (338), photochemistry in micelles (341), photosensitization by reversible electron transfer (361) and of the topological bases for scientific thinking in organic chemistry (379) have been published.

Coupling Activities and Professional Activities of the Principal Investigator

The Principal Investigator has attended and presented a lecture at the AFOSR contractors meeting in Bedford, Massachusetts in November 1986 and has delivered a paper at the AFOSR sponsored meeting on Porous Microstructures in San Diego in February, 1987. He visited the Office of Scientific Research at Bolling Air Force Base in October 1986 and met with several program managers to discuss ongoing research and future directions for research.

The Principal Investigator has been honored with two major awards during 1986: The Harrison Howe Award of the Rochester Section of the ACS, and the Cope Scholar Award of the ACS. He was also selected to present the Fahs Smith Lecture (University of Pennsylvania, April, 1986) and the Cherry Emerson Lecture (Emory University, Atlanta, Georgia, April, 1987). He was a plenary lecturer at the IUPAC Symposium on Photochemistry (Lisbon, Portugal, July, 1986) and at the ACS Polymer Division Symposium on Photochemistry in Polymer Systems (Anaheim, California, September, 1986). He was also selected to be a participant in NSF sponsored workshops on Solar Energy Conversion (Hawaii, March, 1987) and on Reactive Organic Intermediates (Holderness, New Hampshire, June, 1987).

The Principal Investigator has presented lectures on AFOSR supported research at a number of institutions since the last annual report: Wesleyan University (January, 1986), Exxon Corporate Research Laboratory (February, 1986), University of Florida (February, 1986), Cornell University (March, 1986), University of Pennsylvania (April, 1986), University of Rochester (November, 1986), University of California, Santa Barbara (February, 1987), and the University of Toronto (May, 1987).

The Principal Investigator has been and continues to be a member of the National Academy of Sciences Board on Chemical Sciences and Technology and he serves on an Advisory Committee to the Chemistry Division of the Office of Naval Research and on the Science Advisory Committee of the Council for Chemical Research. He also serves on the Advisory Board of the Journal of the American Chemical Society, the Journal of Photochemistry, the Journal of Reactive Intermediates and the Encyclopedia of Physical Science and Technology.

Manuscripts Published from November 1, 1983 to
October 31, 1987.

1. H. Baumann, C. Merckel, H.J. Timpe, A. Graness, J. Kleinschmidt, I.R. Gould and N.J. Turro, "The Laser vs the Lamp: Reactivity of the Diphenyl Ketyl Radical in the Ground and Excited States," Chem. Phys. Lett., 103, 497 (1984).
2. B.H. Baretz and N.J. Turro, "Fluorescence Studies of Pyrene-aldehyde Adsorbed within Zeolite Supercages," J. Photochem. 24, 201 (1984).
3. G.S. Cox, P.J. Hauptman and N.J. Turro, "Dialkylaminobenzo-nitriles as Fluorescence Polarity Probes for Aqueous Solutions of Cyclodextrins," Photochem. Photobio., 39, 597 (1984).
4. N.J. Turro, "Organic Photochemical Mechanism", J. Photochem. 25, 69 (1984).
5. N.J. Turro and B. Kraeutler, "Magnetic Isotope Effects" in Isotopic Effects, vol. 6, E. Buncl and C.C. Lee, Eds., Elsevier, Amsterdam, 1984, pgs. 107-160.
6. G.S. Cox and N.J. Turro "Methyl Salicylate Fluorescence as a Probe of the Geometry of Complexation to Cyclodextrins," Photochem. Photobio., 40, 185 (1984).
7. N.J. Turro, C.C. Cheng, and W. Mahler, "Photochemistry on Solid Porous Silica. Correlation of Cage Effects and Magnetic Field Effects with Pore Size," J. Am. Chem. Soc. 106, 5022 (1984).
8. N.J. Turro and P. Wan, "Photochemistry of Phenyl Alkyl Ketones Adsorbed on Zeolite Molecular Sieves. Observation of Pronounced Effects on Type I/Type II Photochemistry," Tetrahedron Letts., 24, 3655 (1984).
9. D.A. Hrovat, J.H. Liu, N.J. Turro, and R.G. Weiss, "Photolyses of Dibenzyl Ketones in Liquid-Crystalline Media. The Fate of Benzyl Radical Pairs in Various Anisotropic Environments," J. Am. Chem. Soc., 106, 5291 (1984).
10. K.B. Eisenthal, R.A. Moss and N.J. Turro, "Divalent Carbon Intermediates: Laser Photolysis and Spectroscopy," Science 223, 1439 (1984).
11. D.A. Hrovat, J.H. Liu, N.J. Turro and R.G. Weiss, "Type II Photochemistry of Ketones in Liquid Crystalline Solvents. The Influence of Ordered Media on Biradical Dynamics," J. Am. Chem. Soc., 106, 7033 (1984).
12. I.R. Gould, N.J. Turro and M.B. Zimmt, "Magnetic Field and Magnetic Isotope Effects on the Products of Organic Reactions," Adv. Phys. Org. Chem., 20, 1 (1984).

13. N.J.Turro and P.L. Kuo, "Fluorescence Probes for Aqueous Solutions of Nonionic Micelles," Langmuir, 1, 170 (1985).
14. N.J.Turro and P. Wan, "Photolysis of Dibenzyl Ketones Adsorbed on Zeolite Molecular Sieves. Correlation of Observed Cage Effects with Carbonyl C-13 Enrichment Efficiencies," J. Am. Chem. Soc., 107, 678 (1985).
15. I.F. Pierola, N.J.Turro and P.L. Kuo, "Proton Transfer Reactions of Poly-2-vinyl pyridine in the First Singlet Excited State," Macromolecules, 18, 508 (1985).
16. N.J.Turro, M.A. Paczkowski, M.B. Zimmt and J.K.S. Wan, "The Observation of CIDEP from the Photodecomposition of Dibenzyl Ketone in Micellar Solution," Chem. Phys. Letts., 114, 561 (1985).
17. N.J.Turro, C.C. Cheng, P.Wan, C.J. Chung, and W. Mahler, "Magnetic Isotope Effects in the Photolysis of Dibenzyl Ketone on Porous Silica. 13-C and 17-O Enrichments," J. Phys. Chem. 89, 1567 (1985).
18. N.J. Turro, C.C. Cheng, X. Lei and E.M. Flanigen, "Size and Selectivity in Zeolite Chemistry. A Remarkable Effect of Additive on the Products Produced in the Photolyses of Ketones," J. Am. Chem. Soc., 107, 3740 (1985).
19. I.R. Gould, N.J.Turro, J. Butcher, Jr., C. Doubleday, Jr., N.P. Hacker, G.F. Lehr, R.A. Moss, D.P. Cos, W. Guo, R.C. Munjal, L.A. Perez, and M. Fedorynski, "Time Resolved Flash Spectroscopic Investigations of the Reactions of Singlet Arylhalocarbenes," Tetrahedron, 41, 2089 (1985).
20. K.P. Ananthapadmanabhan, E.D. Goddard, N.J.Turro and P.L. Kuo "Fluorescence Probes for Critical Micelle Concentration," Langmuir, 1, 352 (1985).
21. N.J. Turro, G.S. Cox and M.A. Paczkowski, "Photochemistry in Micelles," in Topics in Current Chemistry, Photochemistry, and Organic Synthesis," ed. F.L. Boschke, Springer-Verlag, New York, 1985.
22. I.R. Gould, M.B. Zimmt, N.J.Turro, B.H. Baretz, and G.F. Lehr, "Dynamics of Radical Pair Reactions in Micelles," J. Am. Chem. Soc., 107, 4607 (1985).
23. I.R. Gould, P.L. Kuo and N.J.Turro, "Quenching of Pyrene Fluorescence by Cesium Ions in Micellar Systems. Protection by Surface-Active Crown Ethers," J. Phys. Chem., 89, 3030 (1985).
24. N.J. Turro, X. Lei, C.C. Cheng, D.R. Corbin, and L. Abrams, "Photolysis of Dibenzyl Ketones in the Presence of Pentasil Zeolites. Examples of Size/Shape Selectivity and Molecular Diffusional Traffic Control," J. Am. Chem. Soc., 107, 5824 (1985).

25. C.F. Yu, F. Youngs, R. Bersohn and N.J. Turro, "Photodissociation at 193 nm of Cyclooctatetraene and Styrene into Benzene and Acetylene," J. Phys. Chem., 89, 4409 (1985).
26. B.N. Rao, N.J. Turro and V. Ramamurthy, "Modifications of Chemical Reactivity via Inclusion Complex Formation: Photochemistry of Dibenzyl Ketones and Benzyl Phenylacetates," J. Org. Chem., 51, 460 (1986).
27. G.J. Kavarnos and N.J. Turro, "Photosensitization by Reversible Electron Transfer: Theories, Experimental Evidence and Examples," Chem. Rev., 86, 401 (1986).
28. S. Singh, G. Usha, C.H. Tung, N.J. Turro and V. Ramamurthy, "Modification of Chemical Reactivity by Cyclodextrins: Observation of Moderate Effects on Norrish Type I and Type II Photobehavior," J. Org. Chem., 51, 941 (1986).
29. N.J. Turro, "Photons in the Service of Understanding Polymer Systems at the Microscopic Level. The Influence of Restricted Reaction Space and Restricted Diffusion on Photophysical and Photochemical Processes," Polymer Preprints, 27 318 (1986).
30. R.A. Moss, W. Lawrynowicz, L.M. Hadel, N.P. Hacker, N.J. Turro, I.R. Gould and R.A. Moss, "Are Phenylhalocarbenes Ambiphilic?" Tetrahedron Letts., 27, 4125 (1986).
31. K.B. Eisenthal, N.J. Turro, C.G. Dupuy, D.A. Hrovat, J. Langan, T.A. Jenny, and E.V. Sitzmann, "State-Selective Photochemistry of Singlet Oxygen Precursors: Kinetics and Wavelength Dependence of the Photodissociation of Anthracene Endoperoxides," J. Phys. Chem., 90, 5168 (1986).
32. R. Alt, I.R. Gould, H.A. Staab, and N.J. Turro, "Structural Control of the Triplet-Singlet Equilibrium in Cyclophane Diarylcarbenes," J. Am. Chem. Soc., 108, 6911 (1986).
33. R.A. Moss, W. Lawrynowicz, N.J. Turro, I.R. Gould and Y. Cha, "Activation Parameters for the Additions of Arylhalocarbenes to Alkenes," J. Am. Chem. Soc., 108, 6739 (1986).
34. A. Padwa, J.R. Gasdaska, M. Tomas, N.J. Turro, Y. Cha, and I.R. Gould, "Carbene and Silicon Routes as Methods for the Generation and Dipolar Cycloaddition Reactions of Methyl Nitrile Ylide," J. Am. Chem. Soc., 108, 6739 (1986).
35. N.J. Turro, "Geometric and Topological Thinking in Organic Chemistry," Angew. Chem. Int. Ed., Engl., 25, 882 (1986).
36. J. Guillet, A.N. Ainscough, T. Kilp, S. Poos and N.J. Turro, "Studies of the Role of Acetone Triplets in the Initiation of Vinyl Polymerization," Polym. Photochem., 7, 439 (1986).
37. N.J. Turro and Y. Cha, "Spectroscopic and Chemical Evidence for Methylene Singlet-Triplet Intersystem Crossing in Solution," Tetrahedron Letts., 27, 6149 (1986).

38. I.R. Gould, B.H. Baretz and N.J. Turro, "Primary Processes in the Type I Photocleavage of Dibenzyl Ketones. A Pulsed Laser and Photochemically Induced Dynamic Nuclear Polarization Study", J. Phys. Chem., 91, 925 (1987).
39. A.A. Abdel-Wahab, S.H. Doss, H. Durr, N.J. Turro and I.R. Gould, "Mechanistic Investigations of the Cycloaddition Reactions of Thioxanthenylidene S,S,-Dioxide," J. Org. Chem. 52, 429 (1987).
40. S.H. Doss, A.A. Abdel-Wahab, E.M. Fruhof, H. Durr, I.R. Gould and N.J. Turro, "Carbenz dibenzocycloheptane: Steady-State and Time-Resolved Spectroscopic Laser Studies," J. Org. Chem. 52, 434 (1987).
41. N.J. Turro, Y. Cha, and I.R. Gould, "Reactivity and Intersystem Crossing of Singlet Methylene in Solution", J. Am. Chem. Soc. 109, 2101 (1987).
42. N.J. Turro, C.C. Cheng, L. Abrams and D.R. Corbin, "Size, Shape, and Selectivities in the Photochemical Reactions of Molecules Adsorbed on Pentasil Zeolites. Effects of Coadsorbed Water," J. Am. Chem. Soc., 109, 2449 (1987).
43. N.J. Turro, Y. Cha, I.R. Gould and R.A. Moss, "Direct Photochemical Population of Triplet Diazirines: Comparison of Triplet Energies by Direct Excitation and by Energy Transfer," J. Photochem., 37, 81 (1987).
44. C.V. Kumar, J.K. Barton, N.J. Turro and I.R. Gould, "Time Resolved Raman Spectra of Polypyridyl Complexes of Ruthenium(II)," Inorg. Chem., 26, 1455 (1987).
45. N.J. Turro, "Photochemistry of Ketones Adsorbed on Porous Silica," Tetrahedron, 43, 1589 (1987).
46. N.J. Turro and Y. Cha, "Carbonyl Ylide Formation in the Reaction of Methylene and Acetone," Tetrahedron Letts., 1723 (1987).
47. F.L. Kuo, N.J. Turro, C.M. Tseng, M.S. El-Aasser and J.W. Vanderhoff, "Photoinitiated Polymerization of Styrene in Microemulsions," Macromolecules, 20, 1216 (1987).
48. E. Fanghanel, W. Ortman, K. Behrmann, S. Willscher, N.J. Turro and I.R. Gould, "Photochemical Primary Processes of Xanthene Dyes. 7. Xanthene Dyes as Probes for the Characterization of Anionic Micelles," J. Phys. Chem., 91, 3700 (1987).
49. N.J. Turro, M. Okamoto, I.R. Gould, R.A. Moss, W.L. Lawrynowicz and L.M. Hadel, "Volumes of Activation for the Cycloaddition Reactions of Phenylhalocarbenes to Alkenes," J. Am. Chem. Soc. 109, 4973 (1987).
50. N.J. Turro, M.B. Zimmt, X.G. Lei, I.R. Gould, K.S. Nitsche and Y. Cha, "Additive Effects on the CIDNP, Cage Effect and Exit Rate of Micellized Radical Pairs," J. Phys. Chem., 91, 4544 (1987).
51. R. Breslow, M. Brandl, J. Hunger, N.J. Turro, K. Cassidy, K.

Drogh-Jespersen and J.D. Westbrook, J. Am. Chem. Soc.,
109, 7204 (1987).

52. N.J .Turro and Z. Zhang, "Photochemistry of Molecules
Adsorbed on Alkali Ion Exchanged Zeolites. A "Lebensraum"
Effect on Product Formation," Tetrahedron Letts., 5367 (1987).

Manuscripts in Preparation

1. N.J. Turro, W.S. Chung, and M. Okamoto, "Pressure Effects on the Photocycloaddition of 2-Adamantanone with Fumaronitrile".
2. G.L. Duveneck, E.V. Sitzmann, K.B. Eisenthal and N.J. Turro, "Photoisomerization of trans-Stilbene upon Complexation to Cyclodextrins".
3. N.J. Turro, C.H. Tung, and I.R. Gould, "Electron Transfer Photoinduced Decomposition of Benzyl Esters."
4. R.A. Moss and N.J. Turro, "Laser Flash Photolytic Studies of Arylhalocarbenes," submitted to Plenum Press as a chapter in a book.
5. J.F. Wang, K.M. Welsh, K.C. Waterman, P. Fehlner, C. Doubleday, Jr. "Dynamics of Interaction between a 1,9-Biradical and Lanthanide Ions", submitted to J. Am. Chem. Soc.
6. J.M. Drake, P. Levitz, N.J. Turro, K. S. Nitsche and K.F. Cassidy, "Benzophenone Triplet Quenching by Oxygen at the Gas/Solid Interface: A Target Annihilation Reaction in the Restricted Pore Geometry of Silica," submitted to J. Phys. Chem.
7. N.J. Turro and Y. Sato, "Norrish Type I and Type II Reaction of α,α -Dimethylvalerophenone Adsorbed on Zeolites."

Participating Professionals:

Collaborators:

1. Professor Hans Joachim Timpe, Department of Chemistry
Leuna Merseberg University, East Germany
2. Dr. Bernhard Kraeutler, ETH, Zurich, Switzerland
3. Dr. Walter Mahler, E.I. DuPont de Nemours and Company,
Wilmington, Delaware 19898
4. Professor Richard G. Weiss, Department of Chemistry,
Georgetown University, Washington, D.C.
5. Professor Kenneth B. Eisenthal, Department of Chemistry
Columbia University, New York, NY 10027
6. Professor Jeffrey K.S. Wan, Department of Chemistry,
Queens University, Kingston, Ontario, CANADA
7. Professor Robert A. Moss, Department of Chemistry, Rutgers
University, Piscataway, NJ
8. Dr. Edith M. Flanigen, Union Carbide Laboratories, Tarrytown, NY
9. Dr. E.D. Goddard, Union Carbide Laboratories, Tarrytown, NY
10. Dr. David Corbin, E.I. DuPont de Nemours and Company,
Wilmington, Delaware 19898
11. Dr. Lloyd Abrams, E.I. DuPont de Nemours and Company
Wilmington, Delaware 19898
12. Professor Richard Bersohn, Department of Chemistry
Columbia University, New York, NY 10027
13. Professor V. Ramamurthy, Department of Organic Chemistry
Indian Institute of Technology, Bangalore, INDIA
14. Professor Heinz Staab, Institut fur Strahlenchemie, Max
Planck Institut, Heidelberg, West Germany
15. Professor Albert Padwa, Department of Chemistry, Emory University
Atlanta, Georgia
16. Professor James Guillet, Department of Chemistry, University
of Toronto, Toronto, Ontario, CANADA
17. Professor Heinz Durr, Department of Chemistry, University of the
Saarlandes, Saarbrucken, West Germany
18. Professor M.S. El-Aasser, Department of Chemical Engineering,
Lehigh University, Bethlehem, PA 18015

19. Professor Egon Fanghanel, Department of Chemistry, Technical University, "Carl Schorlemmer" Leuna-Merseberg, EAST GERMANY
20. Professor Ronald C.D. Breslow, Department of Chemistry
Columbia University

Advanced Degrees Awarded:

Dr. Matthew B. Zimmt, Ph.D. Columbia University October 1985.

Dr. Yuan Cha, Ph.D. Columbia University, October 1986.

END
DATE
FILMED
DTIC
4/88